

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA's Hazard Communication Standard CFR 1910.1200 and OSHA Form 174.

N/A SIGNIFIES NON-APPLICABLE

IDENTITY AND SUPPLIERS INFORMATION

PRODUCT NAME:	SANI-LUBE	CHEMICAL FAMILY:		
GMP PRODUCT NUMBER:	A323	FORMULA:	PROPRIETARY	
SUPPLIER'S NAME:	GENERAL PRODUCTS & SUPPLY, INC.	PHONE NUMBER:	(724) 327-7200	
SUPPLIER'S ADDRESS:	101 TECHNOLOGY LANE	EMERGENCY NO.:	800-255-3924	
	EXPORT, PA 15632	DATE PREPARED:	10/25/07	
PROPER SHIPPING NAME:				

SECTION 1 - INGREDIENT IDENTIFICATION AND INFORMATION

CHEMICAL NAME	CARC.	CAS NO.	WT %	313/Chem	PEL	TWA-TLV	SKIN
White Mineral Oil	No	8042-47-5	60-80	No	5 mg/m ³	5 mg/m ³	No
Liquefied Petroleum Gas	No	68476-85-7	20-40	No	1000 ppm	1000 ppm	No

SECTION 2 - PHYSICAL/CHEMICAL PROPERTIES

SECTION 3 - FIRE/EXPLOSION HAZARD DATA

BOILING POINT: >450°F
VAPOR PRESSURE: (mm Hg) 42
VAPOR DENSITY: >1
SOLUBILITY IN WATER: Slight
SPECIFIC GRAVITY: 0.840
pH RANGE: Not Applicable
EVAPORATION RATE: (Ether=1)
PHYSICAL DESCRIPTION: Colorless Oily Liquid, Odorless

FLAMMABILITY: (FLAME PROJECTION) AUTO IGNITION TEMP:
FLASH POINT: >350°F
FLAMMABILITY LIMITS: Extremely Flammable Spray %UEL %LEL
EXTINGUISHER MEDIA: Foam, CO₂ Dry Media
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.
UNUSUAL FIRE/EXP. HAZARDS: Exposure to temperature above 120°F may cause bursting.

SECTION 4 - REACTIVITY HAZARD DATA

STABILITY: Material Stable
HAZARDOUS POLYMERIZATION: Will Not Occur
INCOMPATIBILITY: Avoid contact with strong oxidizing agents.
CONDITIONS TO AVOID:
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide, Carbon Monoxide

SECTION 5 - HEALTH HAZARD DATA AND FIRST AID

PRIMARY ROUTES OF ENTRY:

ACUTE EFFECTS:

SKIN: None, frequent or prolonged contact may cause irritation.

EYES: May cause slight irritation but does not injure eye tissue.

INHALATION: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to the upper respiratory tract, dizziness, nausea and other central nervous system effects.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. Minimal toxicity.

FIRST AID PROCEDURES:

SKIN: Wash with soap and water. If irritation persists seek medical attention.

EYES: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately. Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

INHALATION: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

RESPIRATORY PROTECTION: None needed for proper use in accordance with label directions.

PROTECTIVE GLOVES: None needed for proper use in accordance with label directions. Use chemical resistant gloves if hand contact will be made.

EYE PROTECTION: None needed unless it is anticipated that a splash or spray back will occur, then wear safety glasses or chemical proof goggles.

VENTILATION REQUIREMENTS: Provide local exhaust to keep TLV of Section I ingredients below acceptable limits.

OTHER PROTECTIVE CLOTHING:

HYGIENIC WORK PRACTICES: Do not eat, drink or smoke in work area. Wash hands after handling. Launder contaminated clothing.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED: Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, State and Local laws.

WASTE DISPOSAL METHODS: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and Local authorities for approved procedures.

PRECAUTIONS IN HANDLING AND STORAGE: For industrial and institutional use only. Store in a cool, dry area away from heat or open flame. Do not store at temperatures above 120°F.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without any warranty or guarantee of any kind.