

MATERIAL SAFETY DATA SHEET

EFFECTIVE DATE: 07/28/97

This MSDS complies with OSHA's Hazard Communication Standard CFR 1910.1200 and OSHA Form 174.

EMERGENCY NO.:

N/A SIGNIFIES NON-APPLICABLE

AUTO IGNITION TEMP: N/F

%LEL N/E

IDENTITY AND SUPPLIERS INFORMATION

PRODUCT NAME: GMP MALODOR GEL PAK CHEMICAL FAMILY:

PRODUCT NUMBER: C261 FORMULA: **PROPRIETARY**

SUPPLIER'S NAME: GENERAL PRODUCTS & SUPPLY, INC. PHONE NUMBER:

SUPPLIER'S ADDRESS: 101 TECHNOLOGY LANE

EXPORT, PA 15632

PROPER SHIPPING NAME: CONSUMER COMMODITY (ORM-D)

| RATING | |
|--------|-------|
| 1 | |
| 0 | |
| 0 | |
| | 1 0 0 |

MAX PERSONAL PROTECTION

SECTION 1 - INGREDIENT IDENTIFICATION AND INFORMATION

| CHEMICAL NAME | CARC. | CAS NO. | W T | SARA III | PEL | TWA-TLV | STEL-TLV |
|------------------|-------|-----------|--------|----------|-----|---------|----------|
| Cellulose Gum | | 9004-32-4 | | | | | |
| Gelling Agent | | 9004-62-0 | | | | | |
| Sodium Benzoate | | 532-32-1 | | | | | |
| Propylene Glycol | | 57-55-6 | | | | | |
| | | | | | | | |

(*toxic chemicals subject to the reporting requirements of Section 313 of Title III of SARA of 1986 and 40 CFR Part 372. You must notify each person to whom this mixture or trade name product is sold. This statement must remain a part of this MSDS.)

SECTION 2 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT:

VAPOR PRESSURE: (mm Hg @ 70°F) VAPOR DENSITY: SOLUBILITY IN WATER: SPECIFIC GRAVITY:

EVAPORATION RATE: (BuAc=1) PHYSICAL DESCRIPTION:

<760 mm Hg @ 100C NOT ESTABLISHED 99% in hot water 0.95-1.05

Well set scented gel in plastic cup.

FLAMMABILITY: (FLAME PROJECTION)

(724) 327-7200

FLASH POINT: N/A

FLAMMABILITY LIMITS: N/E %UEL N/E

EXTINGUISHER MEDIA: Water fog, dry chemical or carbon dioxide

SECTION 3 - FIRE/EXPLOSION HAZARD DATA

SPECIAL FIRE FIGHTING PROCEDURES:

Full protective equipment, including pressure demand self-contained breathing apparatus & turnout equipment should be worn by firefighters and others exposed to combustion by-products.

UNUSUAL FIRE/EXP. HAZARDS:

None

INGESTION:

SECTION 4 - REACTIVITY HAZARD DATA

STABILITY: Stable

INCOMPATIBILITY: Strong oxidizers, strong acids CONDITIONS TO AVOID: High heat & sources of ignition HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon when burned.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 5 - HEALTH HAZARD DATA AND FIRST AID

PRIMARY ROUTES OF ENTRY: Inhalation, skin and ingestion

SKIN: Moderate irritation EYES: Moderate irritation

INHALATION: INGESTION:

Excessive vapor exposure can cause nasal & respiratory irritation Can cause gastrointestinal irritation.

FIRST AID PROCEDURES:

SKIN: Wash with water for 15 minutes. If irritated, see a physician. EYES: Flush with water for 15 minutes. If irritated, see a physician.

INHALATION: Move victim to fresh air.

Toxic by ingestion. Do not induce vomiting. Contact physician

immediately.

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

EYE PROTECTION Chemical goggles PROTECTIVE GLOVES: Neoprene

VENTILATION REQUIREMENTS: Sufficient to maintain vapors below TLV.

OTHER PROTECTIVE CLOTHING: None known

PRECAUTIONS IN STORAGE AND HANDLING:

WASTE DISPOSAL METHODS:

OTHER PRECAUTIONS:

HYGIENIC WORK PRACTICE: Wash with soap and water after coming in contact with product.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:

Remove all ignition sources. Ventilate area. Soak up on absorbent material. Place in closed container.

Keep material out of drains, sewers, or open waterways

Dispose of in accordance with applicable state, federal and local laws & regulations.

Store away from heat, sparks or open flame.

Keep out of reach of children. Always practice good housekeeping & hygienic measures. Clean up spills

immediately.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without any warranty or guarantee of any kind.