

Safety Data Sheet (S.D.S.)

Revision Date: 10-Dec-2013

1. IDENTIFICATION

Product Identifier

Product Name PRETREAT

Other means of identification

Product Code C838

Recommended use of the chemical and restrictions on use

Recommended Use Solvent.

Details of the supplier of the safety data sheet

Supplier Address

GENERAL PRODUCT & SUPPLY, INC.
101 TECHNOLOGY LANE
EXPORT, PA 15632

Emergency Telephone Number

Company Phone Number 800-548-2080

Emergency Telephone (24 hr) 800-255-3924

2. HAZARDS IDENTIFICATION

Appearance Colorless liquid

Physical State Liquid

Odor Solvent

Classification

| | |
|-----------------------------------|------------|
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/eye irritation | Category 1 |

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a poison center or doctor/physician
IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------------------------|-----------|-------------|
| Tetrapotassium pyrophosphate | 7320-34-5 | Proprietary |
| Sodium xylenesulfonate | 1300-72-7 | Proprietary |
| Isopropyl alcohol | 67-63-0 | Proprietary |
| Ethylene Glycol Monobutyl Ether | 111-76-2 | Proprietary |
| Tetrasodium EDTA | 64-02-8 | Proprietary |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

| | |
|---------------------|---|
| Eye Contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice. |
| Skin Contact | Wash off immediately with plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse. |
| Inhalation | Remove to fresh air. Call a physician immediately. |
| Ingestion | Rinse mouth. Induce vomiting, but only if victim is fully conscious. Call a physician. |

Most important symptoms and effects

| | |
|-----------------|---|
| Symptoms | Contact may cause irritation and redness. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Soak up with inert absorbent material. Place in appropriate containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|-------------------------------|---|---|
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³ |
| Ethylene Glycol Monobutyl Ether 111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³ |

Appropriate engineering controls

Engineering Controls Eyewash stations. Showers. Local exhaust ventilation recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Risk of contact: Wear approved safety goggles.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|------------------------------|--------------------|-------------------------|----------------|
| Physical State | Liquid | Odor | Solvent |
| Appearance | Colorless liquid | Odor Threshold | Not determined |
| Color | Colorless | | |
| Property | Values | Remarks • Method | |
| pH | 12 | | |
| Melting Point/Freezing Point | Not available | | |
| Boiling Point/Boiling Range | Not available | | |
| Flash Point | Not available | | |
| Evaporation Rate | Not available | | |
| Flammability (Solid, Gas) | n/a-liquid | | |
| Upper Flammability Limits | None | | |
| Lower Flammability Limit | None | | |
| Vapor Pressure | Not determined | | |
| Vapor Density | Not available | | |
| Specific Gravity | 0.95 | (1=Water) | |
| Water Solubility | Completely soluble | | |
| Solubility in other solvents | Not determined | | |
| Partition Coefficient | Not determined | | |
| Auto-ignition Temperature | Not determined | | |
| Decomposition Temperature | Not determined | | |
| Kinematic Viscosity | Not determined | | |
| Dynamic Viscosity | Not determined | | |
| Explosive Properties | Not determined | | |
| Oxidizing Properties | Not determined | | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Causes severe eye damage.

Skin Contact

Causes severe skin burns.

Inhalation

Avoid breathing vapors or mists.

Ingestion

Do not taste or swallow.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|----------------------|---|--|
| Tetrapotassium pyrophosphate 7320-34-5 | - | > 4640 mg/kg (Rabbit) | - |
| Sodium xylenesulfonate 1300-72-7 | = 7200 mg/kg (Rat) | - | - |
| Isopropyl alcohol 67-63-0 | = 4396 mg/kg (Rat) | = 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit) | = 72.6 mg/L (Rat) 4 h |
| Ethylene Glycol Monobutyl Ether 111-76-2 | = 470 mg/kg (Rat) | = 2270 mg/kg (Rat) = 220 mg/kg (Rabbit) | = 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h |
| Tetrasodium EDTA 64-02-8 | = 10 g/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---|-------|---------|-----|------|
| Isopropyl alcohol 67-63-0 | | Group 3 | | X |
| Ethylene Glycol Monobutyl Ether 111-76-2 | A3 | Group 3 | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|--|---|----------------------------|--|
| Tetrapotassium pyrophosphate 7320-34-5 | | 100: 96 h Oncorhynchus mykiss mg/L LC50 | | 100: 48 h water flea mg/L EC50 |
| Isopropyl alcohol 67-63-0 | 1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50 | 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 | | 13299: 48 h Daphnia magna mg/L EC50 |
| Ethylene Glycol Monobutyl Ether 111-76-2 | | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | | 1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 |
| Tetrasodium EDTA 64-02-8 | 1.01: 72 h Desmodesmus subspicatus mg/L EC50 | 41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static | | 610: 24 h Daphnia magna mg/L EC50 |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|---|-----------------------|
| Isopropyl alcohol 67-63-0 | 0.05 |
| Ethylene Glycol Monobutyl Ether 111-76-2 | 0.81 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Isopropyl alcohol 67-63-0 | Toxic Ignitable |

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Marine Pollutant

This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|----------|-------------|-------------------------------|
| Isopropyl alcohol - 67-63-0 | 67-63-0 | Proprietary | 1.0 |
| Ethylene Glycol Monobutyl Ether - 111-76-2 | 111-76-2 | Proprietary | 1.0 |

US State Regulations

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Isopropyl alcohol 67-63-0 | X | X | X |
| Ethylene Glycol Monobutyl Ether 111-76-2 | X | X | X |

16. OTHER INFORMATION

NFPA

Health Hazards

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS

Health Hazards

3

Flammability

1

Physical Hazards

0

Personal Protection

Not determined

Issue Date: 06-Jul-2009
Revision Date: 10-Dec-2013
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet