

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA's Hazard Communication Standard CFR 1910.1200 and OSHA Form 174.

N/A SIGNIFIES NON-APPLICABLE

IDENTITY AND SUPPLIERS INFORMATION

PRODUCT NAME:	DRY-KLEEN	CHEMICAL FAMILY:		<table><tr><th>NFPA HAZARDOUS MATERIALS IDENTIFICATION SYSTEM</th><th>RATING</th></tr><tr><td>HEALTH</td><td>2</td></tr><tr><td>FLAMMABILITY</td><td>2</td></tr><tr><td>REACTIVITY</td><td>0</td></tr><tr><td>MAX PERSONAL PROTECTION</td><td>B</td></tr></table>		NFPA HAZARDOUS MATERIALS IDENTIFICATION SYSTEM	RATING	HEALTH	2	FLAMMABILITY	2	REACTIVITY	0	MAX PERSONAL PROTECTION	B
NFPA HAZARDOUS MATERIALS IDENTIFICATION SYSTEM	RATING														
HEALTH	2														
FLAMMABILITY	2														
REACTIVITY	0														
MAX PERSONAL PROTECTION	B														
GMP PRODUCT NUMBER:	C897	FORMULA:	PROPRIETARY												
SUPPLIER'S NAME:	GENERAL PRODUCTS & SUPPLY, INC.	PHONE NUMBER:	(724) 327-7200												
SUPPLIER'S ADDRESS:	101 TECHNOLOGY LANE	EMERGENCY NO.:	800-255-3924												
	EXPORT, PA 15632	DATE PREPARED:	08/06												
PROPER SHIPPING NAME:															

SECTION 1 - INGREDIENT IDENTIFICATION AND INFORMATION

CHEMICAL NAME	CAS NO.	CARCINOGEN	WT %	313/CHEM	PEL	TWA-TLV	ACGIH TLV
Hydrocarbon Solvent	64742-88-7	No	85 to 90	No	100	100	
Aromatic Hydrocarbon	64742-95-6	No	10 to 15	No	100	100	

SECTION 2 - PHYSICAL/CHEMICAL PROPERTIES

SECTION 3 - FIRE/EXPLOSION HAZARD DATA

BOILING POINT: 212°F
VAPOR PRESSURE: (mm Hg) 20 @ 68°F
VAPOR DENSITY: Not Applicable
SOLUBILITY IN WATER: Soluble
SPECIFIC GRAVITY: 0.81
pH RANGE: 6
EVAPORATION RATE: (Ether=1) <1
PHYSICAL DESCRIPTION: Clear/Solvent Odor

FLAMMABILITY: (FLAME PROJECTION) AUTO IGNITION TEMP:
FLASH POINT: 141 (tcp)
FLAMMABILITY LIMITS: Not Applicable %UEL: %LEL:
EXTINGUISHER MEDIA: Non-Flammable
SPECIAL FIRE FIGHTING PROCEDURES: Not Applicable
UNUSUAL FIRE/EXP. HAZARDS: Not Applicable

SECTION 4 - REACTIVITY HAZARD DATA

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will Not Occur
INCOMPATIBILITY: Strong Oxidizers
CONDITIONS TO AVOID:
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide in fire.

SECTION 5 - HEALTH HAZARD DATA AND FIRST AID

PRIMARY ROUTES OF ENTRY:

ACUTE EFFECTS:

SKIN: May cause severe skin irritation. Prolonged contact may cause burns and redness.
EYES: May cause severe eye irritation. Prolonged contact may cause permanent eye damage.
INHALATION: May be irritating to mucous membranes in nose, throat, and lungs. Choking, coughing, headache may occur.
INGESTION: May cause irritation to the digestive tract. Vomiting and diarrhea expected with large doses.

FIRST AID PROCEDURES:

SKIN: Flush with large amounts of water. Remove contaminated clothes. Seek medical attention.
EYES: Flush eyes with large amounts of water. Consult physician if irritation continues.
INHALATION: Seek fresh air. Consult physician.
INGESTION: Do not induce vomiting or give anything by mouth to an unconscious person. Immediately seek medical attention.

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

RESPIRATORY PROTECTION: Adequate ventilation.
PROTECTIVE GLOVES: Rubber gloves recommended.
EYE PROTECTION: Safety glasses recommended.
VENTILATION REQUIREMENTS: Ventilation as required to maintain TLV.
OTHER PROTECTIVE EQUIPMENT:
HYGIENIC WORK PRACTICES: Do not eat, drink or smoke in work area. Wash hands after handling. Launder contaminated clothing.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED: Mop or absorb for disposal.
WASTE DISPOSAL METHODS: Sewer or incinerate with local approval.
PRECAUTIONS IN HANDLING AND STORAGE: For industrial use only.
OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without any warranty or guarantee of any kind.