

SAFETY DATA SHEET (S.D.S.)

SECTION 1: Product and company identification

| Product name | : | GMP 4% GRANULAR WEED KILLER |
|------------------------------|---|--|
| Use of the substance/mixture | : | Herbicide |
| Product code | : | C583 |
| Supplier | : | General Products & Supply, Inc. 101 Technology Lane Export, PA 15632 (800) 548-2080 |
| Emergency number | : | (800) 255-3924 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US) Carc. 1A H350

Full text of H-phrases: see section 16

| 2.2. Label elements | |
|---|---|
| GHS-US labeling | |
| Hazard pictograms (GHS-US) | : GHS08 |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | : May cause cancer |
| Precautionary statements (GHS-US) | Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear eye protection, protective clothing, protective gloves If exposed or concerned: Get medical advice/attention Store locked up Dispose of contents/container to comply with local/regional/national/international regulations. |
| 2.3. Other hazards No additional information available | |
| No aquilional information available | |

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

| Name | Product identifier | % | Classification (GHS-US) |
|---|---------------------|------------|-------------------------|
| bromacil | (CAS No) 314-40-9 | 1.0 - 5.0 | Eye Irrit. 2A, H319 |
| Crystalline Silica | (CAS No) 14808-60-7 | 0.05 - 5.0 | Carc. 1A, H350 |
| Distillates (petroleum), hydrotreated middle, Gasoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).] | (CAS No) 64742-46-7 | 1.0 - 5.0 | Asp. Tox. 1, H304 |

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Get medical advice/attention. Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.





| Electro Manager de la companya | |
|--|--|
| First-aid measures after eye contact | Direct contact with the eyes is likely irritating. Rinse mouth with water. Do NOT induce vomiting. |
| First-aid measures after ingestion | |
| 4.2. Most important symptoms and e Symptoms/injuries | iffects, both acute and delayed Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/injuries after inhalation | : May cause respiratory irritation. |
| Symptoms/injuries after skin contact | : Slight irritation. |
| Symptoms/injuries after eye contact | : Direct contact with the eyes is likely irritating. |
| Symptoms/injuries after ingestion | : No data available. |
| 4.3. Indication of any immediate med No additional information available | dical attention and special treatment needed |
| SECTION 5: Firefighting measure | ures |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Water spray. Carbon dioxide. Dry chemical powder. |
| 5.2. Special hazards arising from the | |
| Reactivity | : On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers. |
| 5.3. Advice for firefighters | |
| Firefighting instructions | : Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| SECTION 6: Accidental release | emeasures |
| 6.1. Personal precautions, protective | e equipment and emergency procedures |
| General measures | : Remove ignition sources. Use special care to avoid static electric charges. |
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : Protective goggles. Gloves. Protective clothing. |
| Emergency procedures | : Evacuate unnecessary personnel. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Stop leak if safe to do so. Stop release. Ventilate area. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Prever | nt entry to sewers and publicwaters. |
| 6.3. Methods and material for contai | nment and cleaning up |
| For containment | : Collect spillage. |
| Methods for cleaning up | : This material and its container must be disposed of in a safe way, and as per local legislation. Take up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a soap solution. |
| 6.4. Reference to other sections No additional information available | |
| SECTION 7: Handling and stor | age |
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing immediately. |
| Hygiene measures | : Wash thoroughly after handling. Wash contaminated clothing before reuse. |
| 7.2. Conditions for safe storage, incl Technical measures | luding any incompatibilities : Comply with applicable regulations. |
| | |
| Storage conditions | : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from sparks, open flames, excessive heat |

- Storage
 area

 Storage
 browner

 Storage
 area

 Storage
 browner

 Store
 bro
- Special rules on packaging : Keep only in original container. meet the legal requirements.





SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| bromacil (314-40-9) | | | | |
|------------------------|--------------------------------|----------------------|--|--|
| ACGIH | ACGIH TWA (mg/m ³) | 10 mg/m ³ | | |
| 8.2. Exposure controls | | | | |

Personal protective equipment

: Safety glasses. Gloves. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and che | mical properties |
|---|---------------------|
| Physical state | : Solid |
| Appearance | : Grey granules. |
| Odor | : Mild odor |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Solubility | : Soluble in water. |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| | |

SECTION 10: Stability and reactivity

10.1. Reactivity

On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers.

10.2. Chemical stability

Combustible liquid. Stable under normal conditions. Risk of explosion if heated under confinement. Heating may cause a fire or explosion.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition produces: CO, CO2, Oxides of nitrogen and other potentially toxic fumes.

SECTION 11: Toxicological information



11.1. Information on toxicological effects



| Acute toxicity | : | Not classified |
|--|---|--|
| bromacil (314-40-9) | | |
| LD50 oral rat | | 5200 mg/kg (Rat) |
| LD50 dermal rat | | > 2500 mg/kg (Rat) |
| LD50 dermal rabbit | | > 5000 mg/kg (Rabbit) |
| LC50 inhalation rat (mg/l) | | > 4.8 mg/l/4h (Rat) |
| ATE CLP (oral) | | 5200.000 mg/kg body weight |
| Skin corrosion/irritation | : | Not classified |
| Serious eye damage/irritation | : | Not classified |
| Respiratory or skin sensitization | : | Not classified |
| Germ cell mutagenicity | : | Not classified |
| Carcinogenicity | : | May cause cancer. |
| Crystalline Silica (14808-60-7) | | |
| IARC group | | 1 - Carcinogenic to Humans |
| Reproductive toxicity | : | Not classified |
| Specific target organ toxicity (single exposure) | : | Not classified |
| Specific target organ toxicity (repeated exposure) | | Not classified |
| Aspiration hazard | | : Not classified |
| Symptoms/injuries after inhalation | | : May cause respiratory irritation. |
| Symptoms/injuries after skin contact | | : Slight irritation. |
| Symptoms/injuries after eye contact | | : Direct contact with the eyes is likely irritating. |
| Symptoms/injuries after ingestion | | : No data available. |
| SECTION 12: Ecological informatio | n | |

| SECTION 12: Ecological Information | |
|---|--|
| 2.1. Toxicity | |
| bromacil (314-40-9) | |
| LC50 fish 1 | 75 mg/l 48 h; Salmo gairdneri (Oncorhynchus mykiss) |
| LC50 fish 2 | 71 mg/l (48 h; Leuciscus idus) |
| Threshold limit other aquatic organisms 1 | 1 mg/l (Pimephales promelas; Chronic) |
| 2.2. Persistence and degradability | |
| bromacil (314-40-9) | |
| Persistence and degradability | Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. |
| 2.3. Bioaccumulative potential | |
| bromacil (314-40-9) | |
| BCF fish 1 | 2.8 - 26.5 (672 h; Leuciscus idus; Fresh weight) |
| BCF fish 2 | 4.25 (388 h; Pimephales promelas; Fresh weight) |
| Log Pow | 2.11 |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

| SECTION 13: Disposal considerations | | | |
|-------------------------------------|---|--|--|
| 13.1. Waste treatment methods | | | |
| Waste disposal recommendations | : Dispose of contents/container to comply with local/regional/national regulations. | | |

SECTION 14: Transport information

Department of Transportation (DOT)

| In accordance with DOT : | Not regulated for transport |
|--------------------------|---|
| Additional information | |
| Other information | : No supplementary information available. |



GMP

| ADR |
|-------------------------------------|
| No additional information available |
| Transport by sea |
| No additional information available |
| Air transport |
| No additional information available |
| |

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| bromacil | CAS No 314-40-9 | 1.0 - 5.0 | | |
|---|-----------------|-----------|--|--|
| | | | | |
| bromacil (314-40-9) | | | | |
| Listed on SARA Section 313 (Specific toxic chemical listings) | | | | |
| | | | | |

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing of dust.

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

| Asp. Tox. 1 | Aspiration hazard Category 1 |
|---------------|---|
| Carc. 1A | Carcinogenicity Category 1A |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| H304 | May be fatal if swallowed and enters airways |
| H319 | Causes serious eye irritation |
| H350 | May cause cancer |

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.